

MATERIAL SAFETY DATA SHEET

Graphic Arts Products

Base-Line, Inc. 4 Corporate Drive Suite 186

Shelton, CT 06484 (203 925-0240

Fax (203) 925-0239

Section 1

Emergency Telephone: 1-877-651-5329 - product tracking code 9755

Date Prepared: November 12, 1996 Updated February 17, 1997

PRODUCT IDENTITY

Label Name: Electrostatic Image Remover # 7001 or # 7003 or # 7004 or # 7005

Chemical Family: Aliphatic organic chemicals

Formula Number:

Section 2		HAZARDOUS INGI	HAZARDOUS INGREDIENTS	
Components		CAS Number	TLV	
Ethyl Alcohol 1	40 %	64-17-5	ACGIH 1900 ppm	
Isopropyl l Alcohol	15 %	67-63-0	ACGIH 980 ppm	
Stannic Chloride	20 %	7772-99-8	ACGIH 2000 mg/kg	
Methanol	9 %	67-56-1	ACGIH 260 ppm	
Activators	7 %		•	

Section 3 PHYSICAL & CHEMICAL PROPERTIES

Boiling Point: 180 ° F (82 ° C) **Specific Gravity:** 0.7 **Vapor Pressure:** 32 mmHg **Percent Volatile:** 85 %

Solubility in water: 100 %

Appearance and Odor: Liquid, transparent, fragrant odor

Section 4 FIRE & EXPLOSIVE HAZARD DATA

Flash Point: 75 ° F (24 ° C)

Flammability Limits: Upper: 12 % Lower: 2.0 %

Extinguishing Media: Carbon dioxide or powder extinguisher

Special Fire Fighting Procedure: Extinguish by carbon dioxide or powder extinguisher.

Unusual fire and explosive hazards and physical hazards: No unusual fire and explosive hazard due to small contents

of fluid.

Section 5 REACTIVE DATA

Stability: Stable

Conditions to avoid:Do not mix with alkaline. **Incompatibility:**Reacts to alkaline.

Hazardous decomposition products: Acid contained rusts metal.

Hazardous polymerization: N/A

Section 6 HEALTH EFFECTS OF EXPOSURE

Eyes: Flush with plenty of water and seek medical help.

Skin: Wash thoroughly with soap and water.

Ingestion: Vomit and seek medical help.

Inhalation: In case of inhalation, remove the affected person to fresh air and keep at rest. If any symptoms persist

seek medical attention.

Abbreviations: N/D - Not Determined N/A - Not Applicable N/F - Not Found

Elect701

Health Hazard Data

Primary Routes of Entry: Stated in MSDS
Published Exposure Limits: Stated in MSDS

Listed as Carcinogen: No

Effects of Overexposure: In case of skin contact, wash with soap and water at once. If contacted on

the clothing, remove immediately.

Emergency and First Aid Procedures

If product contacts skin wash with soap and water. Eyes-flush with water 15 minutes. If eye contact occurs, seek medical treatment. For inhalation-recap pen and seek fresh air.

Section 7 SPILL OR LEAK PROCEDURES

Steps to be taken in case the material is released or spilled:

Avoid direct contact with skin and breathing vapor. Wipe off with cloth or absorbent material and place into an airtight container. Adequate respirator and chemical resistant gloves are recommended.

 Section 8
 RECOMMENDED CONTROL MEASURES

 Respiration Protection:
 Normally not required due to small contents of fluid.

Ventilation: Well-ventilated area required

Protective Gloves: Yes

Eye Protection: Safety glasses

Other Protective Equipment: Clothing suitable to avoid skin contact.

Section 9 SPECIAL PRECAUTIONS

Precautions to be taken in handling or storage: Use in well ventilated area

Keep from heat and open flame. Keep from small children. Do not open back plug of pen. Keep pen capped when not in use.

In case of skin contact, wash off with water.

Section 10 TRANSPORTATION DATA

VOC: = N/A **SARA:** = N/A

Do not throw or drop from 1m high or more.

Do not store above 104 ° F (40 ° C.)

Section 11 PRECAUTIONARY LABELING

HMIS RATING: Health 2

Flammability 3 Reactivity 1 Personal Protection E

Judgment as to the suitability of information herein of the purchaser's purpose are necessarily the purchaser's responsibility. Reasonable care has been taken in the preparation of this information, but extends no warranties, makes no representations as to the accuracy or suitability of this information for any of the purchaser's use or for consequences of misuse

Abbreviations: N/D - Not Determined N/A - Not Applicable N/F - Not Found

Elect701