MATERIAL SAFETY DATA SHEET

JACE								
	Base-Line, Ir	ıc.						
	P.O. Box 165	58						
Graphic Arts Products	5103 "D" Str	eet NW		Emergency				
	Telephone:							
Auburn, WA 98071-16	558		1-800-451-8	3346				
(253) 852-6681								
Fax (253) 852-6796		Date Prepared: November 12, 1996						
			*	ruary 17, 1997				
Section 1		PRODUCT I						
Label Name:		Electrostatic Image Remover # 7001 or # 7003 or # 7004 or # 7005						
Chemical Family:	Aliphatic orga	nic chemicals						
Formula Number:								
Section 2		HAZA	RDOUS INGREDIENT	S				
Components		CAS Number		TLV				
Ethyl Alcohol 1	40 %	64-17-5		ACGIH 1900 ppm				
Isopropyl l Alcohol	15 %	67-63-0		ACGIH 980 ppm				
Stannic Chloride	20 %	7772-99-8		ACGIH 2000 mg/kg				
Methanol	9 %	67-56-1		ACGIH 260 ppm				
Activators	7 %							
Section 3	РНУ	SICAL & CHEM	ICAL PROPERTIES					
Boiling Point:	180 ° F (82 °	C)	Specific Gravity:	0.7				
Vapor Pressure:	32 mmHg	,	Percent Volatile:	85 %				
Solubility in water:	100 %							
Appearance and Odo	r: Liquid, transp	arent, fragrant odo	r					
Section 4		FIRE & EXPI	LOSIVE HAZARD DAT	ГА				
Flash Point:	75 ° F (24 ° C))						
Flammability Limits:	· · · · · ·		Lower: 2.0 9	%				
Extinguishing Media:		le or powder exting						
			oxide or powder extingui	sher.				
Unusual fire and expl	osive hazards and	d physical hazards	s: No unusual fire and ex	plosive hazard due to small contents				
			of fluid					
Section 5		REACTIVE D	АТА					
Stability:		Stable						
Conditions to avoid:		Do not mix with	alkaline.					
Incompatibility:		Reacts to alkalin						
Hazardous decomposition products:		Acid contained r	usts metal.					
Hazardous polymeri	zation:	N/A						
Section 6		HEALTH EFF	ECTS OF EXPOSURE					
				-				
Eyes: Flush	n with plenty of wa	ater and seek medic	cal help.					
	h thoroughly with							
		emove the affected	person to fresh air and ke	ep at rest. If any symptoms persist				
coole	madical attention							

seek medical attention.

Section 7

Health Hazard Data

Primary Routes of Entry:Stated in MSDSPublished Exposure Limits:Stated in MSDSListed as Carcinogen:NoEffects of Overexposure:In case of skin contact, wash with soap and water at once. If contacted on
the clothing, remove immediately.

Emergency and First Aid Procedures

If product contacts skin wash with soap and water. Eyes-flush with water 15 minutes. If eye contact occurs, seek medical treatment. For inhalation-recap pen and seek fresh air.

SPILL OR LEAK PROCEDURES

Steps to be taken in case the material is released or spilled:

Avoid direct contact with skin and breathing vapor. Wipe off with cloth or absorbent material and place into an airtight container. Adequate respirator and chemical resistant gloves are recommended.

Section 8	RECOMMENDED CONTROL MEASURES
Respiration Protection:	Normally not required due to small contents of fluid.
Ventilation:	Well-ventilated area required
Protective Gloves:	Yes
Eye Protection:	Safety glasses
Other Protective Equipment:	Clothing suitable to avoid skin contact.

Section 9 SPEC	IAL PRECAUTIONS
Precautions to be taken in handling or s	torage: Use in well ventilated area
	Keep from heat and open flame.
	Keep from small children.
	Do not open back plug of pen.
	Keep pen capped when not in use.
	In case of skin contact, wash off with water.

Section 10		TRANSPORTATION DATA			
VOC:	=	N/A			
SARA:	=	N/A			
	Do not throw or drop from 1m high or more. Do not store above 104 ° F (40 ° C.)				
	201				

Section 11 PRECAUTIONARY LABELING

HMIS RATING:	Health	2
	Flammability	3
	Reactivity	1
	Personal Protection	E

Judgment as to the suitability of information herein of the purchaser's purpose are necessarily the purchaser's responsibility. Reasonable care has been taken in the preparation of this information, but extends no warranties, makes no representations as to the accuracy or suitability of this information for any of the purchaser's use or for consequences of misuse