

# **MATERIAL SAFETY DATA SHEET**

13310 S FIGUEROA STREET LOS ANGELES, CA 90061 TEL: (310) 538 9530 FAX: (310) 515 6517

SECTION I - Identification					
				Date :	September 30, 200
Product Name: PHOTOMEG PLATE ETCH			I	MSDS:	64 89X
Chemical Family : Aqueous Solution Medical Emergency Telephone : Transportation Emergency Telephone	(708) 640 4800	REC <sup>®</sup> 1 (800)	) 424 9300	Revision Date	e: 4/26/02
SECTION II - Hazardous Componen	ts (Typical Values)				
INGREDIENTS	CAS NO.	WT%	ACGIH(TLV)	OSHA(I	PEL)
Isopropyl Alcohol	67-63-0	30-35	400 ppm	400 ppr	n
SECTION III Devoiced / Chamical D	ata				
SECTION III - Physical / Chemical D		Colubility	Motor (bashalasta)		
Boiling Point	: 175°F		Water (by Weight) avity (H <sub>2</sub> 0 = 1)	) : 100% : 0.952	
Melting Point Vapor Pressure	: Not Applicable : Not Applicable	-	Vapor Pressure		nliachla
Vapor Density (AIR = 1)	: Not Applicable	pH	vapor Pressure	: 8.50	oplicable
Evaporation Rate	: Not Applicable	Appearance	9		and colorless
Volatile Fraction by Weight	: Not Applicable	Odor	-		alcohol odor
Volatile Organic Compound	: Not Applicable				
SECTION IV - Fire and Explosion Ha	azard Data	•			
Flash Point	: 77°F (T.C.C.)				
Flammable Limits in Air	: Lower : None	Upp		-	
Extinguishing Media	: Any extinguishing media applicable to the surrounding area. Ires : Evacuate personnel to a safe area. Keep personnel away and upwind of fire.				
Special Fire Fighting Procedures				ei away and upv	vind of fire.
Unusual Fire and Explosion Hazards		Wear self-contained breathing apparatus. When heated to decomposition, emission of toxic fumes are possible.			
SECTION V - Health Hazard Data / S	ARA - Title III Hazaı	rd Categories			
A. Acute Exposure Effects (Note: pe					
- Eye contact	act : May cause irritation and burning.				
- Skin contact	: May cause skin irritation, burning, and/or allergic reaction.				
- Inhalation	: Normally not a problem, but inhalation of mist could cause respiratory irritation. : May cause irritation of mucous membranes or digestive tract.				
- Ingestion B. First Aid (Applies to finished Pro	•	IT OF MUCOUS IN	iempranes or dige:	suve tract.	
- Eyes	: Immediately flush	with plentv of r	unning water for a	t least 15 minut	es. Obtain
_,	medical attention.		J		
- Skin	: Flush affected area	as promptly wit	th water for 15 min	utes. Remove	contaminated
	clothing.				
-Inhalation	: For over-exposure			diata madiaal -	ttantion
- Ingestion C. Chronic Health Effects (Note: Pe	Drink milk or water: Drink to each ingred		-		
All Other Ingredien				10001. 1010.12	,
		nal databaaaa	and so the following of	obrania offacta a	esociated with
- A computerized lite	rature search of natio	nai databases	ald not yield any d		
		nai databases	did not yield any d		

#### **SECTION VI - Reactivity Data**

Stability	: Stable.
Incompatibility	: Strong oxidizing agents.
Hazardous Decomposition Products	: None.
Hazardous Polymerization	: Will not occur.

# **SECTION VII - Disposal Information**

### Spill, Leak or Release

NOTE: Review Section IV and VIII before proceeding with clean up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean up. Dike spill. Prevent liquid from entering sewers, waterways or low areas. Soak up with sand, oil dry or other absorbent material.

#### Waste Disposal

Recover non-usable free liquid and/or contaminated water, and dispose of in an approved and permitted treatment system. Remove non-usable solid material and/or contaminated soil, for disposal in an approved and permitted landfill. Discharge to sewer requires approval of permitting authority and may require pre-treatment.

#### SECTION VIII - Special Protection Information

A. Respiratory Protection : Sufficient room ventilation.

B. Skin and Eye Protection : Splash protection is suggested, e.g., eyeglasses with side shields, gloves and aprons.

#### **SECTION IX - Storage Conditions**

Store in a well ventilated area. Keep container tightly closed. Do not store with incompatible materials (See Section VI). Do not store or consume food, drink or tobacco in an area where they may become contaminated with this material.

SECTION X - Hazardous Transportation Regulations				
DOT : DOMESTIC	IMO/ICAO : INTERNATIONAL			
Hazard Class	: FLAMMABLE LIQUID			
Proper Shipping Name	: FLAMMABLE LIQUID, n.o.s.			
UN Number	: UN 1219			
Label	: FLAMMABLE			
SECTION XI - Hazard Communication				
0 – Insimiliant				

0 = Insignificant	HEALTH	= 1
1 = Slight	FLAMMABILITY	= 2
2 = Moderate	REACTIVITY	= 0
3 = High	SPECIAL	= 0
4 = Extreme		

## **SECTION XII - TSCA Information**

TSCA Listing : All ingredients in this finished product are listed on the EPA TSCA Inventory (See Section II).

# SECTION XIII - Federal EPA - SARA Title III Notification

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (FOR SARA 313).

Components present in this product at a level which could require reporting under the statute are:ChemicalCAS #Upperbound Concentration - %

\*\*\* NONE \*\*\*

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of the knowledge of Clayton Chemical Company. The data on this sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or any process. Clayton Chemical Company assumes no legal responsibility for use or reliance upon this data. The information herein is provided solely for your consideration, investigation and verification.