MEGAMINK

MEGAMI 2018Ver.1 Reference No.MITOKO000063X Issue Date Feb.14,2019

<u>SAFETY DATA SHEET (US)</u>

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATIO
--

1.1 Product identifier	EG DENSE BLACK
1.2 Relevant identified uses of th	ne substance or mixture and uses advised against
	Printing Ink
1.3 Details of the supplier of the	safety data sheet
MFG.DEPT.	MEGAMI INK MFG.CO., LTD GUNMA FACTORY
	Gunma Pref. Annaka City Matsuida-Machi Matsuida 705-1
	【TEL】+81-27-393-1718 【FAX】+81-27-393-0530
	E-Mail gunkan@megamiink.com
QC.DEPT.	MEGAMI INK MFG.CO., LTD TOKYO OFFICE
	TECHNICALCENTER QUALITY ASSURANCE DEPT.
	【TEL】+81-48-994-4775 【FAX】+81-48-994-4785
	E-Mail hinsho@megamiink.com
1.4Emergency telephone numbe	<u>r</u> 【TEL】+81-48-994-4770
AZARDS IDENTIFICATIO	DN
2.1 Classification of the substance	ce or mixture Mixture
2.2 Label elements	GHS classification in according with KOSHA (KOREA OCCUPATIONL SAFETY & HEALTH AGENC)
SYMBOL	
	Warning
SIGNAL WORD	
SIGNAL WORD	H332 Harmful if inhaled
	· ·
	H332 Harmful if inhaled
	H332 Harmful if inhaled H319 Cause eye irritation
	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer
	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation
	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure
HAZARD STATEMENTS	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure
HAZARD STATEMENTS PRECAUTIONARY STATEMEN	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure TS P261 Avoid breathing dust/fumes/gas/mist/vapours/spray.
HAZARD STATEMENTS PRECAUTIONARY STATEMEN	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure TS
HAZARD STATEMENTS PRECAUTIONARY STATEMEN	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure TS P261 Avoid breathing dust/fumes/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling.
HAZARD STATEMENTS PRECAUTIONARY STATEMEN	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure TS P261 Avoid breathing dust/fumes/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective glove protective clothing eye, face protection.
HAZARD STATEMENTS PRECAUTIONARY STATEMENT PREVENTION	H332 Harmful if inhaled H319 Cause eye irritation H317 May cause an allergic reaction. H351 Suspected of causing cancer H335 May cause respiratory irritation H373 May cause damage to organs through prolonged or repeated exposure TS P261 Avoid breathing dust/fumes/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.

P305/351/338 If in eyes, rinse cautiously with water for several minutes, remove contact lenses
if present and easy to do.
P308/313 IF exposed or concerned: Get medical advice/ attention.
P333/313 If skin irritation or rash occurs, Get medical advice.
P337/313 If eye irritation persists get medical advice/attention

DISPOSAL P501 Dispose of contents, container in accordance with applicable Laws and Regulation.

P405 Store locked up.

3. COMPOSITION / INFORMATION ON INGREDIENTS

STORAGE

3.1 Substance	Not applicable
3.2 Mixture	This product is a mixfure.

MEGAMIN

MEGAMI 2018Ver.1

Reference No.MITOKO000063X Issue Date Feb.14,2019

H351

N/A

N/A

N/A

N/A

H317

Hazardous Information

H332,H319,H335,H373

COMPOSITION / INFORMATION ON INGREDIENTS Ingredients Contain % Cas Number Pigments Pigment Black 7 20-25 1333-86-4 Pigment Blue 61 1-5 1324-76-1 Resin Rosin-modified phenolic resin 15-25 Registered Vegetable oil Tung oil 8001-20-5 20-30 Soybean oil 8001-22-7 Mineral oil Petroleum hydrocarbon 15-25 64742-46-7 Additive Mixture 5> 136-52-7 4. FIRST AID MEASURES 4.1 Description of first aid measures EYE If this product comes in contact with the eye wash out immediately with fresh running water. If pain persists or recurs seek medical attention. SKIN If skin contact occurs flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. FIRST AID MEASURES 4. INHALED If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Transport to hospital, or doctor. **SWALLOWED** If swallowed do not induce vomitting. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 4.2 Most important symptoms and effects, both acute and delayed The severity of the symptoms described will vary dependant of the concentration and

the length of exposure.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.	
5.2 Special hazards arising from the substance or mixture		
	Hazardous combustion products.	
5.3 Advice for firefighters	Required the use of respiratory protective equipment.	

ACCIDENTAL RELEASE MEASURES 6.

	Wear protective clothing as described.
6.2 Environmental precautions	In the case of contamination of rivers, lakes or drains notify relevant authorities
	in accordance with local regulations.
6.3 Methods and material for conta	ainment and cleaning up
	Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.
	Ventilate, Clean-up personnel should use respiratory and/or liquid contact protection.
	Inform Authorities if large amounts are involved.
6.4 Reference to other sections	For waste disposal, see section 13.

MEGAMINK

MEGAMI 2018Ver.1 Reference No.MITOKO000063X Issue Date Feb.14,2019

7.	HANDLING AND STORAGE	
	7.1 Precautions for safe handling	Avoid breathing vapors and contact with skin and eyes.
		Avoid reaction with oxidizing agents. Avoid sources of heat.
		Wear personal protective equipment when handling.
		Wash hands with soap and water after handling.
	7.2 Conditions for safe storage, inclu-	uding any incompatibilities
		Store in a cool place lower than 25 $^\circ\!\!\mathbb{C}$. Avoid Sun light.
8.	EXPOSURE CONTROLS / PE	RSONAL PROTECTION
0.		NOONAL I NOTEONON
	8.1 Control parameters	Petroleum hydrocarbon (Oil mist) ACGIH 2010 (TWA) 5 mg∕m [*]
		Carbon black ACGIH 2010 (TWA) 3.5 mg/m ³
	8.2 Exposure controls	Individual protection measures, such as personal protective equipment.
	Respiratory protection	Respiratory protection must be used if the general level exceeds the recommended
		occupational exposure limit.
	Hand protection	Chemical resistant gloves made of Butyl rubber or Polyethylene-polyvinyl alcohol
		laminated rubber.
	Eye/ face protection	Safety Glasses with side shields, goggles, or face shield.
	Skin and body protection	Suitable safety clothes, aprons, shoes and protective boots.
9.	PHYSICAL AND CHEMICAL I	PROPERTIES
	0.1 Information on basis shusing the	d chamical properties
	9.1 Information on basic physical an	
	APPEARANCE	Paste
	ODOR	Slight odor
	MELTING POINT	No information on the product.
	FLASH POINT	140°C
	VAPOR PRESSURE	No information on the product.
	SOLUBILITY	Insoluble in water
	SPECIFIC GRAVITY	1.10-1.20 (25°C)
	N-OCTANOL/WATER IGNITION TE	
		No information on the product.
	PECOMPOSITION TEMPURATURI	
	VOC PERCENT RANGE	15-25%
	9.2 Other information	Not determined
	<u>9.2 Other mornation</u>	Not determined
10.	CHEMICAL STABILITY AND	REACTIVITY INFORMATION
	10.1 Reactivity	There are no known reactivity hazards associated with this product.
	10.2 Chemical stability	Stable under normal temperature conditions.
	10.3 Possibility of hazardous reaction	
	10.4 Conditions to avoid	No information on the product.
	10.5 Incompatible materials	No information on the product.
	10.6 Hazardous decomposition proc	lu No information on the product.
11	TOVICITY INFORMATION	
11.	TOXICITY INFORMATION	
	11.1. Information on toxicological ef	fects
	Acute toxicity (Inhalation)	Category4 H332 as concentration of Petroleum Hydrocarbon $\geq 1\%$
	Skin corrosion/irritation	No information on the product.
	Serious eye damage/eye irritation	Category2A H319 as concentration of Petroleum Hydrocarbon $\geq 10\%$
	Skin Sensitizers	Category1 H317 as concentration of Cobalt Compound $\geq 1\%$
	Gem cell mutagenicity	No information on the product.
	Carcinogenicity	Category2 H351 as concentration of Carbon black $\geq 0.1\%$
	Reproductuve toxicity	No information on the product.
	Specific target organ toxicity exposu	rt Category3 H335 as concentration of Petroleum Hydrocarbon \ge 10%

MEGAMI 2018Ver.1 Reference No.MITOKO000063X Issue Date Feb.14,2019

11. TOXICITY INFORMATION	
Specific target organ toxicity Repea	ted exposure
	Category2 H373 as concentration of Petroleum hydrocarbon $\ge 1\%$
12. ECOLOGICAL INFORMATIO	Ν
12.1Toxicity	
Hazardous to the aquatic environme	
Hazardous to the aquatic environments 12.2 Persistence and degradability	There are no data on the degradability of this product.
12.3 Bioaccumulative potential	No data available on bioaccumulation.
12.4 Mobility in soil	No data available.
<u>12.5 Results of PBT and vPvB asse</u>	
	Not Classified as PBT/vPvB by current EU criteria.
13. DISPOSAL CONSIDERATIO	NS .
13.1 Waste treatment methods	Consult manufacturer for recycling options and recycle where possible
	consult waste management authority for disposal. Incinerate residue at an approved site.
	Recycle containers where possible or dispose of in an authorized landfill.
14. TRANSPORTATION INFORM	IATION
14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
<u>14.3 Transport hazard class</u> 14.4 Packing group	Not applicable Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Not applicable
14.7 Transport in bulk according to	Annex II of MARPOL73/78 and the IBC Code
	Not applicable
15. REGULATORY INFORMATIC	DN
15.1 Safety, health and environmen	tal regulations legislation specific for the substance or mixture
SARA SECTIONS 313	This Product does not contain any chemical compornents with known CAS numbers that exceed the threshold reporting levels established by SARA Title Ⅲ,Section 313.
EPA TOXIC SUBSTANCES CONTR	ROL ACT (TSCA) All components of these products are included on the 8(b) TSCA inventory list.
California Porp.65	This product contains a chemical kown to the State of California to cause cancer.
	Carbon Black CAS 1333-86-4 Contain 10-15%
	In the IARC classification, Carbon Black to group-2B (Possibly carcinogenic to humans.) but the Printing Ink is group-C (Not classifiable as to its carcinogenicity to humans.).
15.2 Chemical safety assessment	No chemical safety assessment has been carried out for this mixture by the supplier.
16. OTHER INFORMATION	
-	d to provide for general industrial use as reference information in order to ensure the the basis of reliable information but it is not a guarantee of the manufacturer.

Please take your appropriate measures of handling, etc. in their own responsibility.