

MATERIAL SAFETY DATA SHEET

Finished Goods Catalog

55815145 - FN-6 PLATE FINISHER GUM (4X1GAL)

Manufacturer Name

FUJI PHOTO FILM USA, INC.

SECTION 1 - COMPANY IDENTIFICATION

FUJI PHOTO FILM USA, INC. CHEMTREC (24 HRS) EMERGENCY NO: 200 Summit Lake Drive Inside US & Canada: 1-800-424-9300 Valhalla, NY 10595-1356 Outside US & Canada:1-703-527-3887

> MEDICAL (24 HRS) EMERGENCY NO: Prosar: 1-877-935-7387

MSDS FAXBACK (24 HRS): 1-888-354-3854

NON-EMERGENCIES:

EHS Hotline: 1-800-473-3854 General Information:1-914-789-8100

MSDS ID: 5406FF

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

			TIME WEIGHT	ED AVERAGES
Ingredients	CAS Number	Wt.%	OSHA PEL	ACGIH TLV
			(mg/m3)	(mg/m3)
Benzyl Alcohol	100-51-6	1-5%	NE	NE
Ethylene Glycol	107-21-1	1-5%	125 C	100 C
Gum Arabic	9000-01-5	1-5%	NE	NE
Starch Phosphate	11120-02-8	0.5-1.5%	NE NE	NE
Starch Derivative	9049-76-7	10-20%	NE	NE
Water	7732-18-5	60-80%	NE	NE

NE=Not Established; STEL=Short Term Exposure Limit; C=Ceiling Limits; PEL= PEL=Permissible Exposure Limits; TLV=Threshold Limit Values

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Appearance: Clear, pale yellow, aqueous liquid

No odor Odor:

CAUTION

Skin, eye, mucous membrane and respiratory tract irritant. Keep away from excess heat. Avoid contact with strong oxidizers, strong acids and strong

Wear equipment to protect eyes, skin and respiratory tract. Dike or absorb

spills to keep material and run-off from entering sewer or waterways. Use water to cool containers and disperse vapors.

Box may contain multiple containers having multiple components. Consult all MSDSs.

HMIS: Health: 1 Flammability: 0 Reactivity: 0 NFPA: Health: 1 Flammability: 0 Reactivity: 0 Spec. Haz.: None

Hazard Rating: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe A = Gloves B = Gloves & Goggles C = Gloves, Goggles & Apron D = Face Shield, Gloves, Goggles & Apron

UN NO: None

DOT GUIDE: ERG Guide 111

Potential Health Effects:

Skin: Contact causes irritation.

Eves: Causes irritation.

Inhalation: Irritant to respiratory tract and mucous membranes. Ingestion: Ingestion of product may cause nausea and vomiting.

Conditions aggravated by exposure:

Allergic reaction to gum arabic may cause respiratory distress and

sensitivity.

SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush with COOL water for 15 minutes. Call a physician. Skin Contact: In case of skin contact; immediately flush with cool water for 15 minutes. Call a physician.

In case of ingestion; seek immediate medical attention. Ingestion:

Inhalation: Immediately remove victim to fresh air. Call a physician for further

recommendations.

SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties

Flash Point: None deg F (TCC) Autoignition Temperature: N/A deg F (CC) Explosion Limits: Lower: N/A vol.%: Not Tested Upper: N/A vol.%:

Extinguishing Media:

Choose extinguishing media suitable for the surrounding materials, such as water spray, dry chemical, alcohol foam or carbon dioxide.

Unsuitable Extinguishing Media:

No restrictions on media based on knowledge of this material.

Fire Fighting Instructions:

Water spray should be used to cool fire exposed containers and to disperse un-ignited vapors. Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when material has ignited or becomes involved in a fire. Try to remove material containers from fire area if can be accomplished without risk to personnel.

Evacuate area and fight fire from a safe distance. Call your local fire department. Wear positive pressure, breathing apparatus and protect eyes and skin. Use water to cool fire-exposed containers, to protect personnel and to disperse vapors and spills. Fire media run-off can damage the environment. Dike and collect media used to fight fire.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Small Spills:

For incidential spills and leaks, wear adequate personal protective equipment, see Section 8 (Exposure & Personal Protection). Spills should be contained by, and covered with suitable absorbent material and removed for disposal. Dispose of according to local and national regulations. Prevent from entering into soil, waterways and groundwater.

Large Spills:

For larger spills, requiring emergency response, neoprene boots and respiratory protection may also be required. Follow OSHA regulations and NIOSH recommendations for respiratory protection (see 29 CFR 1910.134 and NIOSH pub. 87-108) and emergency response (see 29 CFR 1910.120). Hold in properly labeled DOT-approved waste container. Dike large spills to minimize the spill area. Material can cause environmental damage.

SECTION 7 - HANDLING / STORAGE

Handling:

Avoid contact with eyes, skin or clothing. Avoid breathing mist or vapor. Do not swallow. Wear chemical safety goggles and neoprene gloves and apron. Wash thoroughly after handling. Keep container closed when not in use. Use only with adequate ventilation.

Storge:

Store in a cool, dry, well-ventilated area. Keep container closed when not in use.

SECTION 8 - EXPOSURE CONTROL AND PERSONAL PROTECTION

Ventilation:

Good general ventilation should be sufficient for most processing operations. Vent work area to ensure airborne concentrations are below the current occupational exposure limits. Ten (10) or more room air changes per hour containing a minimum of 15% fresh air will meet these requirements. Consult ASHRAE 62-1989 for further requirements.

Personal Protective Equipment

Respiratory Protection: If used under normal operating conditions and with adequate ventilation, respiratory protection is not required. However, refer to OSHA 29 CFR 1910.13

Skin Protection: Neoprene gloves and apron Eye Protection: Chemical safety goggles

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, pale yellow, aqueous liquid

Odor: No odor Change in Physical State:

Boiling Point: >100 deg C Melting Point: N/D deg F

Specific Gravity: 1.10 Water=1 Vapour Pressure: ~15 mmHg @ 20C

Viscosity: N/A
Solubility in Water: Complete
pH Value: 3.0-3.4

VOC (lbs/gal): 0.29 (USEPA Method 24)

SECTION 10 - STABILITY AND REACTIVITY

Hazardous Polymerization:

Hazardous polymerization WILL NOT occur if product is used and stored as directed. Product is stable if used and stored as directed. Hazardous Decomposition Products:

Oxides of Sulfur, oxides of Carbon Materials and Conditions to Avoid:

Keep away from excess heat. Avoid contact with strong oxidizers, strong acids and strong bases.

SECTION 11 - TOXICOLOGICAL INFORMATION

Product Information

LD50 (oral, rat): >5000 mg/kg

Acute Overexposure:

Skin, eye, mucous membrane and respiratory tract irritant.

Chronic Overexposure:

No other effects besides those associated with acute exposure.

Ingredient information:

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity Data: No Data Available Chemical Fate Data: No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Hazardous Waste Characteristic:

None

Recommendation:

Dispose of contaminated product, empty containers and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures. Discharge of processing effluent to the sewer may require a permit. DO NOT discharge effluent solutions to septic systems.

SECTION 14 - TRANSPORTATION INFORMATION

Ground Shipping Information

Proper Shipping Name: Chemicals, N.O.I., Not D.O.T. regulated.

Hazard Class: None
UN/NA Number: None
Packing Group: None

Air (ICAO/IATA) Shipping Information

Proper Shipping Name: Chemicals, N.O.I., Not D.O.T. regulated.

Hazard Class: None
UN No: None
Packing Group: None
Subsidiary Risk: None
UN/DOT Labels Needed: None

Passenger Aircraft Packing Instructions: N/A Max: N/A Cargo Aircraft Packing Instructions: N/A Max: N/A International Maritime Organization (IMO) Additional Shipping Class:

IMDG Code: Not Applicable
Amdt. Code: Amdt. N/A
HTS Code: Not Applicable

Product is labeled in accordance with US D.O.T. 49 CFR.

Further information:

Please call (800) 473-3854 for further D.O.T. information.

SECTION 15 - REGULATORY INFORMATION

**Note: The ingredient information listed in this section is provided for reporting requirements as dictated by USEPA, state and local regulation. If

ingredient is listed in this section but not in Section 2, then the concentration of this ingredient is below de minumis (less than 0.1%).

U.S. FEDERAL REGULATIONS:

313 = SARA Title III Section 313 (40 CFR 372 -- Toxic Release Inventory)

355 = SARA Title III Section 302 (40 CFR 355 -- Extremely Hazardous Substance)

302 = SARA Title III Section 304 (40 CFR 302 -- Hazardous Substance List)

CWA = Clean Water Act Priority Pollutants List

CAA = Clean Air Act 1990 Hazardous Air Contaminants

HAP = Clean Air Act - HON Rule - HAPs

Ingredients	CAS Number	313	355	302	CWA	CAA	HAP
Benzyl Alcohol	100-51-6	N	N	N	N	N	N
Ethylene Glycol	107-21-1	Y	N	Y	N	Y	Y
Gum Arabic	9000-01-5	N	N	N	N	N	N
Starch Phosphate	11120-02-8	N	N	N	N	N	N
Starch Derivative	9049-76-7	N	N	N	N	N	N
Water	7732-18-5	N	N	N	N	N	N

TSCA 12(b) Export Notification CAS NUMBER CHEMICAL NAME 107-21-1 ETHYLENE GLYCOL

TOXICITY INFORMATION:

IRC1 = IARC Group 1 Human Carcinogens List

IRC2 = IARC Group 2 Human Carcinogens List (limited human data)

IRC3 = IARC Group 2B Human Carcinogens List (sufficient animal data)

NTP = NTP Known Carcinogens List OSHA = OSHA Known Carcinogens List

Ingredie	ents	CAS Number	IRC1	IRC2	IRC3	NTP	OSHA
Benzyl A	Alcohol	100-51-6	N	N	N	N	N
Ethylene	e Glycol	107-21-1	N	N	N	N	N
Gum Arak	oic	9000-01-5	N	N	N	N	N
Starch E	Phosphate	11120-02-8	N	N	N	N	N
Starch I	Derivative	9049-76-7	N	N	N	N	N
Water		7732-18-5	N	N	N	N	N

STATE REGULATIONS:

FL = Florida Hazardous Substance List MA = Massachusetts Right-To-Know List MI = Michigan Critical Materials List MN = Minnesota Hazardous Substance List

NJ = New Jersey Right-To-Know List PA = Pennsylvania Right-To-Know List

Ingredients	CAS Number	PA	NJ	MN	MΙ	MA	FL
Benzyl Alcohol	100-51-6	Y	N	Y	N	Y	Y
Ethylene Glycol	107-21-1	Y	Y	Y	N	Y	Y
Gum Arabic	9000-01-5	N	Y	N	N	N	N
Starch Phosphate	11120-02-8	N	N	N	N	N	N
Starch Derivative	9049-76-7	N	N	N	N	N	N
Water	7732-18-5	N	N	N	N	N	N

The following information is required by the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 or Proposition 65. This regulation does not address di minimus levels; therefore, even trace amounts of chemicals included on these lists must be noted with the "Safe Harbor" wording.

WARNING: Known to the State of California to cause cancer:

CAS NUMBER CHEMICAL NAME 123-91-1 1,4-DIOXANE ETHYLENE OXIDE 75-21-8

WARNING: Known to the State of California to cause developmental toxicity:

CAS NUMBER CHEMICAL NAME 64-17-5 ETHYL ALCOHOL

WARNING: Known to the State of California to cause female reproductive effects

FUJI PHOTO FILM USA, INC. - 55815145 - FN-6 PLATE FINISHER GUM (4X1GAL)

CHEMICAL NAME ETHYLENE OXIDE CAS NUMBER

WARNING: Known to the State of California to cause male reproductive effects: ****None listed****

The following designation is used only for those facilities that have air permits in nonattainment areas for ozone: Non-Photochemically Reactive

SECTION 16 - OTHER INFORMATION

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.